



T6302BG

15% Lamb Crunch Crunch

Bov 30G

Medicated

For the prevention on coccidiosis caused by Eimeria ovina, Eimeria crandallis, Eimeria ovinoidalis (Eimeria ninakoh lyakimovae), Eimeria parva and Eimeria intricate in sheep maintained in confinement.

Active Drug Ingredient

Lasalocid.....30 g/ton

Guaranteed Analysis

Table with 2 columns: Component and Percentage/Amount. Includes Crude Protein (Min) 15%, Crude Fat (Min.) 4.0%, Crude Fiber (Max.) 6.50%, Calcium (Ca) (Min.) 1.10%, Calcium (Ca) (Max.) 1.60%, Phosphorus (P) (Min.) 0.44%, Salt (NaCl) (Min.) 0.65%, Salt (NaCl) (Max.) 1.15%, Selenium (Se) (Min.) 0.4 ppm, Vitamin A (Min.) 4,000 IU/lb.

Ingredients

Corn, Oats, Dehulled Soybean Meal, Corn Distillers with Solubles, Alfalfa Meal, Wheat Middlings, Micro-Encapsulated Dry Active Saccharomyces Cerevisiae (CNCM I-1077), Cane Molasses, Soy Oil, Calcium Carbonate, Molasses, Salt, Dicalcium Phosphate, Magnesium Oxide, Ammonium Chloride, Vitamin A Supplement, Vitamin E Supplement, Vitamin D Supplement, Zinc Amino Acid Complex, Zinc Sulfate, Ferrous Sulfate, Manganese Sulfate, Ethylenediamine Dihydriodide, Cobalt Sulfate, Sodium Molybdate,, Sodium Selenite, Selenium Yeast, Natural and Artificial Flavoring.

CAUTION: Type B Medicated feeds: The safety of Lasalocid in unapproved species has not been established; do not allow horses or other equines access to Lasalocid as ingestion may be fatal; feeding undiluted or mixing errors resulting in excessive concentrations of Lasalocid could be fatal to sheep.

Feeding Directions

Feed as sole grain ration to sheep in late gestation and to growing and finishing lambs at the rate of .75 to 3.6 lb. per head per day to provide 15 to 70 mg of Lasalocid. Do not exceed 3.6 lb. per head per day. Animals should always have access to clean, fresh water.

Manufactured for

Brubaker Grain

307 W CENTER ST

FARMERSVILLE, OHIO 45325

Net Weight - 50 LBS. (22.7Kg.) - BULK - Shown on Invoice