



Classic Features

The Harvey Classic vinyl double hung window offers a variety of styles, colors and options to meet any homeowner's needs. The Classic window is custom made to fit with very little carpentry needed, reducing installation time and mess. Our sleek fully welded sash and frame design provides a one-piece sloped sill and better performance than ordinary vinyl windows, with an air-tight seal that keeps wind and water where they belong – outside. Consult your professional contractor to discuss which options are right for you.

- ENERGY STAR® qualified with ENERGY STAR glazing upgrade
- Available with BetterGrain[™] premium woodgrain interior finish
- Factory calibrated block & tackle sash balances never need adjustment or lubrication
- Ventilation limit latches that keep top or bottom sash partially open
- Locking fiberglass half screen standard
- Vinyl head expander and vinyl sill extender included for replacement windows



Tilt-in top and bottom sash for easy cleaning.





Red Cedar

Almond Bronze

Exterior finishes are available for White or Almond windows only. . Due to printing limitations, finishes and colors shown are for representation only.

Grids

White

Contoured GBG (Grids Between Glass)



Grid Package



5/8"

Exterior



Color-Matched

Simulated **Divided Lites**



Interior Applied, GBG and

Configurations

Dark Oak



Custom configurations also available

• DP 50 Upgrade

Structural Mullion

Always Active Limit Latch

Additional Options

Glazing Options

- Clear Insulated
- ENERGY STAR
- Low-E
- Low-E/Argon
- Double Low-E/Argon
- Obscured
- Tempered

Hardware



Low-Profile Cam Lock (White is standard)



Brushed Nickel



Premium Finishes



Nickel Bronze

Half or Full Screen

- Fiberglass Wire
 - Aluminum Wire
 - Virtually Invisible (VIEWS)





Thermal Performance

For the most up to date structural and thermal performance values, as well as other product specifications, visit harveybp.com.

Glazing	U-Factor	SHGC	Visible Light Transmittance	ENERGY STAR Compliance	
Clear Insulated	0.46	0.59	0.62		
ENERGY STAR	0.25	0.30	0.54	N, NC	

ENERGY STAR: This package includes everything that is needed for a product to meet ENERGY STAR requirements. Glazing, gas, glass thickness, etc. will vary by window and usually includes Low-E coating and Argon gas. This glazing package <u>does</u> qualify for ENERGY STAR.

U-factor measures the rate of non-solar heat transfer from one side of the window to the other. Heat transfer implies both heat loss out of a living space during cold weather and non-solar heat gain during hot summer months. The lower the U-factor, the better the performance.

Solar Heat Gain Coefficient (SHGC) measures how well a product blocks heat from the sun. The lower the SHGC, the better a product is at blocking unwanted heat gain.

Visible Transmittance (VT) measures how much light comes through a product. The higher the VT, the more light that comes through.



About Harvey Building Products

Harvey has built a solid reputation as a leading manufacturer and distributor of quality building products. A privately owned and operated business with over 50 years' experience, Harvey Building Products is known for outstanding craftsmanship and superior service as well as standing behind every product we make. In addition to manufacturing durable, attractive windows, doors and porch enclosures, Harvey distributes a full line of highly respected building products to professional contractors and builders throughout the Northeast.

We understand what it takes to be part of your home.™



Harvey Building Products 1400 Main Street Waltham, MA 02451-1623 USA 800-9HARVEY (800-942-7839)



Information about Harvey Building Products and our products and services can be found at harveybp.com.

Follow us:



16-018