



www.pickettbuildingmaterials.com www.oneontablock.com

We want to RECOGNIZE and REWARD you. Join Pickett Rewards brought to you by...

> Pickett Building Materials

PICKETT REWARDS

## Earn Points Today!

- Join Pickett Rewards and earn points on all your purchases at **Pickett Building Materials.**
- Receive award certificates for the points you earn!
- Shop with us again and redeem your certificates at Pickett Building Materials. Sign Up Today!

## It's so simple. Here's how it works.

To begin earning your award certificates, just fill out the member profile. Each time you use your membership card at Pickett Building Materials, we will automatically track your purchases and assign points to your account.

For every \$250 you spend at our store, you will receive a \$5 award certificate to redeem on your next visit. There is no limit! Go ahead, reward yourself!

The more you spend, the more you earn!

View your personal membership activity at: www.myrepeatrewards.com









40-lb. bags. 100% pure wood fiber hardwood by-products. Environmentally safe. Contains less than 1% ash per volume.





Features oversized shingle dimensions, distinct

shadow lines and random cuts to ensure the added

shingle. Defends against algae streaks and helps

dimension and charm of a multi-layered wood shake

retain original color. 130-mph limited wind warranty

PINNACLE PRISTINE

**Featuring** 

COTCHGARD

**Exhaust Vent** 

Protects your roof

#15 & #30 **Felt Paper** 

48" Pcs. **Shingle Over** Ridgevent

with HP Technology.

**Driveway Crack Filler** 

For filling and sealing cracks in asphalt surfaces. 3927340

QUIKRETE

60-Lb. Blacktop Patch Instantly repairs chunk holes in asphalt or concrete surfaces. Use on driveways, patios or sidewalks.

5-Gal. Blacktop Filler/Sealer

Fills small cracks. 0141598



**Gal. Driveway Crack Filler** Provides a tight, flexible seal. 6312748



18" Driveway Brush Indoor/outdoor use. Wood block with built-in squeegee. 9710575





from premature deterioration. 6' Heavy Duty MintCraft " Scaffolding

Includes four 5" swivel casters with brakes. Yellow powdercoated finish. Foldable. 8795478



4" x 12" x 8". Ideal for larger tree rings, garden rings and curved wall projects. Cost-effective and low-maintenance solution for landscaping projects. Choose from Natural Gray, Desert Tan, Rawhide or Victorian Red.

Anchor Diamond®

6" x 17" x 12". For an attractive retaining wall with enduring performance, Anchor Diamond is the perfect choice. Walls can reach heights in excess of 30'. Choose from Natural Gray, Desert Tan, Rawhide, Victorian Red or Storm.

**Anchor Highland Stone® Retaining Wall**This stone system can reach heights of 4 feet without reinforcement, and is a more reliable and economical alternative to more natural stone walls. We've added the jumper accessory unit. Use it throughout your project to create an even

more unexpected, natural-looking effect.

Starting At 300 Sq. Ft.

Anchor Highland Stone® Free Standing Wall It's crafted with the same earthen colors and rough-hewn texture that

make a top choice for retaining walls. Great for seating areas, borders and columns. The blocks are available in three different sizes, giving walls a more natural look.

## Pricing is for products picked up at yard – DELIVERY EXTRA



weed restriction, soil separation, reinforcement, and filtration. Used for new plantings, behind retaining walls. Fabric allows water, air and nutrients through, and helps to control weeds.



**Gal. Exterior Concrete Coating** 

Forms a waterproofing seal on concrete, brick, masonry, natural stone and pavers. Allows the natural look of the surface to come through. 3637022

SmartCast® Diamond 24" x 24". A traditionally popular pattern that emphasizes complete slab paver uniformity. White in stock. Model N2424DW

**The Holland Paver** 

SmartCast® Brick 16" x 16". Provides a blend of lines and a brick

imitation surface. Pewter and Red in stock.

24" x 24"...13.49 Ea.






4" x 8" is a traditional look for the home. Great for sidewalks, patios, and

driveways. The look of brick with the durability of a concrete paving stone.

Stock: Antique Gray, Brown Flash, Hickory, Butternut or Red Flash.

**Picked Up at Yard** 

- Delivery Extra





Big savings during the Anniversary Sale now through June 8.

## STORM DOORS



Mail-in Rebate when you spend \$100 or more

OO Mail-in Rebate when on you spend \$200 or more



Easy Vent® Selection

304.00 SUGG.

-10.00 IN-STORE SAVINGS

-20.00 MAIL-IN REBATE

146FV White 36"

Fullylew with Full Screen

Brase

QuickFit Curved Straight Brushed Nickel Brushed Nick Aged Bronze Aged Bronze Antique Brass White Sandstone

Your choice

QuickFit"

Handle Set

\$34.95

SUGG. RETAIL

2 Choose Your Handle



Wood Core White 36" - Stock

-10.00 IN-STORE SAVINGS





830-80 Retractable Screen 189.95 SUGG. RETAIL

229.95 SUGG. RETAIL -10.00 IN-STORE SAVINGS

Wood Core 119.99 SUGG.

-20.00 MAIL-IN REBATE

-5.00 IN-STORE SAVINGS -10.00 MAIL-IN REBATE

-10.00 MAIL-IN REBATE 169,95 SALE!

199.95 SALE! 104.99 SALE!

www.LARSONdoors.com





Elegant Selection"

233.60 SUGG.

-10.00 IN-STORE SAVINGS

-20.00 MAIL-IN REBATE


149FV White 36"





**NEW! Interior Windows** Exterior Storm Windows







Windows and Doors Built to perform:



**28**00 Bundle

**UKO Cambridge AR Limited** 

Heavyweight architectural shingle with classic wood shake design. Many colors to choose from. Model CAM30




**Spruce Framing Lumber** 





**CDX Plywood** 1/2", 5/8" or 3/4". **Call For Pricing** 

T1-11 4' x 8' **Plywood Call For Pricing** 



## AdvanTech.

**Flooring** 3/4" tongue & groove. Call For Pricing



#### **Finger-Joint Primed Pine**

Primer is not intended to be used as a finish coat. Finish coats must be applied within 30 days of installation. If longer than 30 days, the primed surface should be cleaned and field-primed prior to finish coat applications. Two finish coats of high-quality latex paint are recommended and should be applied according to the paint manufacturer's instructions.

	Windsor ON
-	WIIIUSULUAL
	<b>**</b>
AND SOME	

1x6x16' T&G Edged & Center Bead

1x4x16'	20.89
1x6x16'	30.37
1x8x16'	41.89
5/4x4x16'	28.99
5/4x6x16'	42.99

## **Premium Eastern White Pine**

Tromain Education White I me								
Size	8'	10'	12'	14'	16'			
1x4	4.80	6.00	7.72	8.40	9.60			
1x6	6.80	8.50	10.20	11.90	13.60			
1x8	9.36	11.70	14.04	16.38	18.72			
1x10	10.40	13.00	15.60	18.20	20.80			
1x12	12.56	15.00	18.84	21.98	25.12			

## IN STOCK DATLANTIS

## **Cable Railing Systems**

High-quality stainless steel. Unobstructed views. Low maintenance. Easy to install. Check out the new display. More information at: www.ATLANTISRAIL.com



## 4' x 8' Heavy-Duty Pressure-Treated Lattice Panel

Treated & stapled at each intersection for extra durability. No need for painting or staining - weathers to gray.

9499



#### 6' Picnic Table

Pre-cut, pressure-treated lumber treated with ACQ to stop decay and termite attack. Assembles quickly and easily with standard tools. Fasteners and all hardware included. 3517620

## Call ahead... and have your order ready to go when you get here!

**1**19



2" x 2" x 42" Treated Spindle

One end is tapered. Resists rot and decay. 6780225

2" x 2" x 36" Colonial Spindle

**Colonial Spindle** 6780050 ......**1.99** 



8' Colonial Treated Handrail

One end is tapered. Resists rot and decay.



discoloration on tubs, toilets, sink, dishes, cookware and laundry.

Mailbox Post Standard post.

## 40-Lb. Solar Salt Pellets

**4**99

**Fancy Post Cap** 

#1 A.G. treated. 6145726

2" x 2" x 36"

**Treated Baluster** 

Can be used in all types of water softening units. Eliminates messy tank cleaning.









## 999 Ea.

## 3 Step Pressure-Treated Stair Stringers

Resists insects, rot and decay to deliver years of dependable service.

4 Step......11.99

5 Step......**15.99** Ea.



50-Lb. Extra Coarse Solar Salt

Coarse screened, white crystalline sodium chloride.



Created by a tight-knit group of local artisans, Dutch Quality Stone veneers exhibit all the unique qualities of nature in a range of dependable, easy-to-install options for homes and commercial properties. It's what can happen when the exacting standards of traditional craftsmen are applied to modern processes. And it makes all the difference.









## **PVC Decking**

Lightweight cellular PVC lumber. Provides the look and feel of real wood. Stain, mold and insect resistant. Non-slip surface. Will not rot, splinter or crack. UV protection for color retention. Soap & water cleanup. Lifetime limited warranty. 25-year stain and fade warranty.

VEKAdeck® 5/4" x 6" x 12' Gray .....

5/4" x 6" x 16'

Gray .....

**35**99

4799

Bellus Collection 5/4" x 6" x 12' Terra Cotta & Espresso .....

41<sup>99</sup>

5/4" x 6" x 16' Terra Cotta & Espresso ....... **53**<sup>99</sup>

6783542

Grade #2 and better,

southern yellow pine.

**5**99

10-0z. Sikaflex Concrete/ **Masonry Sealant** 

For sealing expansion joints, gaps and moving cracks in horizontal concrete and masonry, 3448438

**29-0z.** 0589994......**12.99** 

10-0z. Sikaflex **Mortar Joint Repair** 

For repairing cracked and split mortar joints between brick, masonry and stone. 2238541

10-0z. Sikaflex Concrete Crack Repair

For all types of joints and cracks where maximum depth of sealant will not exceed 1/2-inch, 0512830



**4**95

80-Lb. Concrete Mix

Exceeds ASTM C 387 Specs. For applications of two inches in thickness or more.



## QUIKRETE

80-Lb. Mortar Mix

Designed especially for laying brick, block and stone. Mortar Mix can also be used to repair masonry or as a stucco coat.



# **ATUFTITE**

36" Trench Drain

200 PSI industrial strength. Easy snap-together installation. Non-corrosive, high-density polyethylene. Model TR1 TR1

**3**99

1½" x 10' Schedule 40 Pipe 7362023

2" x 10' 4829289 ......5.99 3" x 10' 6410112 ..... 10.49

4" x 10' 6410658 ..... 14.49

4" x 20' 9777673 . . . . . 28.89



5' x 10' **Concrete Mesh** 

Welded steel gratings are widely used in construction reinforcement and other fields. Easy to install.

1/2" x 20' Rebar Used in reinforced

concrete and reinforced masonry structures. Ridges for better frictional adhesion to the concrete.

5/8" x 20' .....11.99



8" x 8" x 16" **Concrete Block**  **135** 

**Block** 

4" x 8" x 16" **Solid Concrete** 



8" x 20' **Culvert Pipe** Single wall.

10" x 20' ..... 114.99

1**99**<sup>99</sup>

15" x 20' **Culvert Pipe** Double wall.



**5**49 **EXECUTE 5** 

4" x 10' Corrugated **Coil Pipe** 

4" x 100'...54.99

129<sup>99</sup>

4" x 250' Solid or Perforated



Flexible Coupling 4" x 4"

4" x 4" 6205868 ......6.99



**Rebar Cutter** Made of steel for durability with shear-cut blades, painted components for rust prevention, mounts easily on most flat surfaces, and makes 90 and 180 degree bends. Handle material is

tubular steel with textured, non-slip handle grip. 6145692



**Concrete Float** 

Extruded from lightweight magnesium. Handle is positioned to give the tool perfect balance. Recommended for use with air entrained concrete, Model 145D 6869101

**6**<sup>99</sup>

500' Braided **Mason Line** 

Pink. Made from 150-lb. test nylon, size #18. Will not unravel. Will not mildew, stays taut. Model ML338 7029390

AMES

**Mortar Mixing Pan** 

3 cu. ft. steel. Ideal for mixing mortar, plaster and spackling. Made of seamless steel with baked enamel finish. Model 77594 1135813

**7**99

MACCOURT

**All-Purpose Tub** Heavy-duty plastic. Many household uses. 26" x 20" x 6".

Model AT2606 6514327

**27**99

**Mortar Hoe** 10" wood handle. Gray head, nickel ferrule, black collar. Model 33248

MintCraft<sup>™</sup>

ATJ-XM-10 4094249







**ATRIMACO** 

**19**<sup>99</sup> 9' x 12' Canvas **Drop Cloth** 

Washable, reusable. For painting and cleaning.



**4**99 16-0z.

**Paint Remover** Use to remove dried latex paint, caulk, adhesive, sticker residue, gum and more, Model 2415 0785568

Intertape



90-Ct. Tub O' Towels **Heavy Duty** Cleaning Wipes

10" x 12". Durable fiber weave. 2098267

Intertape



**Pro-Mask Blue Tape** 

High-quality blue painter's masking tape removes cleanly for up to 14 days. 6939532

WERNER

**Ladder Stabilizer** 

Non-marking rubber end caps. Spring-loaded locking latch. Quick-release attach pins connect stabilizer arms



**Green Type 2** Fiberglass **Extension Ladder** 

Flat D rung. Commercial duty, 225-lb. duty rating. 21' max working length. OSHA & ANSI approved. 24' Model D5924-2 6739825

**Orange Type 1 Fiberglass Extension Ladder** Extra heavy duty. For professional use. Rated 1A-300 lbs. 24' Model D6224-2 6354344



**Medallion® Paint** Per gallon container/ \$40 per 5-gal. container.

Get up to \$80 back on your favorite Valspar paint.

See rebate coupon in-store for details. Mail-in for colorful savings on your favorite Valspar Paints.

Limit 8 gallons.



**Paint Prices Are Before Rebate** 

valspar

PREP-STEP

valspar

valspar

2399 valspar

**Gal. Interior Latex Wallboard Primer** 

For drywall, plaster and concrete block. Cleans up with water. White. Model 44-990 6411003

**14**99

Gal. Latex **New Construction Primer** 

Ideal for airless spray. Seals tape joints and wallboard.

5 Gal....59.99

**36**<sup>99</sup>

Gal. Latex **Flat House Paint** 

Exterior use. For wood or masonry. High hide. no fade. Model 27-45501 6406961

**Gal. Interior Latex Flat Wall Paint** 

Scrubbable, 100% acrylic latex. High hide. Model 27-1400 6404891

**Gal. Interior Latex Eggshell Paint** 

100% acrylic latex. One-coat coverage. Spatter resistant. Scrubbable. Stain resistant. Model 4400 6396873



LOVEYOUR

**Gal. Interior Latex Ceiling Paint** 

This product is formulated with spatter resistance. Provides a flat finish which will not yellow with age. Model 1426 6387914

**Gal. Latex Semi-Gloss House Paint** 

100% acrylic latex. Weather resistant. Model 27-4300 6406870

**34**<sup>99</sup> **Gal. Interior** 

**Satin Latex Paint** 100% acrylic latex. Lifetime warranty. Model 27-3400

3480258

**Gal. Interior Latex Semi-Gloss Paint** 

Finest quality. 100% acrylic latex. Model 2400 6397863









LINZER 99 9" Roller Cover For use with all paints. Spatter-free & non-shed. Model RC 144 6842272

LINZER 8-Pc. Roller Tray Kit Contractor quality.

For use with all paints and stains. 6186282

CONTRACTOR

**Contractor Bags** 20-Pack. Clear. 3-mil. 3455334



McCloskey, Marie

Gal. True Basics Deck & Siding Stain Durable, fade resistant & waterproof. VOC compliant nation wide. Choose from Solid or Semi-Transparent. 5986625, 1106327



42-Gal.

**Gal. Latex Base Masonry Waterproofer** 

For waterproofing all interior, exterior above or below grade masonry walls and more. Model 27513 6293153

5 Gallon

Model 27515 6293278 ...... 109.99



Waterproof Brush

sealants. Sable polyester bristles. Model 3121-4

LINZER 2" Pro Impact®

For all paints. Chiseled trim, natural wood handle. Model 1160-2 7882426



9" 4 Pack **Roller Covers** 

For all paints. Heavyduty phenolic core. Model 9384 6597959

DAP

**Gal. Wood Toned Deck & Siding Stain** 

Provides a natural finish for bare wood. Protects against sun and weather. 7252067

abo

#### **Gal. Semi-Solid Color Neutral Oil Decking Stain**

Heavily pigmented and opaque to offer maximum color and coverage. Tintable to unlimited colors. 6181853

## Gal. Solid Color **Acrylic Decking Stain**

For use on all wood decking, outdoor furniture and fencing, as well as cement patios and walkways. 3282662

#### Gal. Semi-Transparent Stain

Deep-penetrating, linseed oil-based stain. Beautifies and protects exterior wood. Allows the grain, texture and color variations within the wood to show through. 6181358



Cabot

## Gal. DeckCorrect™

Covers and corrects worn, weathered, exterior wood and concrete. 6522262

**Gal. Problem-Solver® Acrylic Primer** For wood and manufactured wood surfaces Model 01-8022 6267041

## Qt. Interior Oil Wood Stain

Penetrates deep into wood surfaces. Model 144-8125 6541130

**Qt. Interior Water-Borne Polyurethane** Acrylic polyurethane provides crystal clear

protection. Fast drying. Water clean-up. Gloss finish. Model 144-8080 9703646

44.99 Gallon

## **Gal. Gloss Polyurethane**

Exceptionally durable reinforced clear finish varnish. Model 8010 1842095



Cabot

POLITICITHANE

Cabot

OLYURETHAN

**Paint Brush** 

## **Qt. Vinyl Spackling Compound**

Heavy-duty all purpose formula. Resists cracking, sands easily and spreads smoothly. Interior/exterior use.



## Gal. Deck Cleaner

Cleans the surface to be coated and acts to open wood pores.

### Gal. Problem Solver **Wood Cleaner**

Formulated to remove mildew, mold, algae and dirt from wood surfaces. 6416499

**Gal. Problem Solver Wood Brightener** 1811579.

**Gal. Clear Waterproofer** 

Designed to provide protection on a multitude of surfaces with silicone. Model 1000 4173860





National -

1/2" Drywall

4' x 10' ..... 13.60 4' x 12' ..... 16.32

4' x 14' ..... 19.60 4' x 16' .....22.40

National Gypsum.

**7**48 5/8" Drywall

4' x 10' ..... 15.60 4' x 12' ..... 18.72

National Gypsum.

1/2" Drywall Moisture Resistant XP. Purple label. 4' x 10' ..... 18.60

5/8" 4' x 8' ...... 16.96 4' x 10' ..... 21.20

3' x 5' 1/2" Perma Base 35DR 4' x 8' 29.79 48DR

1/4"

4' x 4' 44DR ......13.70



We Have Trucks For Every Use. Think Pickett!







264-0654

Choose from Multi-Use and All-Purpose. 056-1456, 822-9874

National \_\_\_\_

5-Gal. Joint

Compound

250' **Joint Tape** Paper. 604-6601

Perma@las-Mesh **Fiberglass** 

3001 677-1133 ..... **4.99** 

Your choice 18-Lb. Easy Sand

**18V Screw Gun** 

Choose from 90, 45 and 20. 177-4025, 627-2157, 357-0595

**Mud Pan** 

**MintCraft**™

**Drywall Lift** 

Designed with an extension hoist welded steel construction. Mounted on three 5 in. double lock heavy-duty swivel casters, 1636513

## **PICKETT BUILDING MATERIALS**

6459 State Highway 23, Oneonta, NY 13820 PHONE (607) 432-8391 FAX (607) 433-6284

email address: pbm@PickettBuildingMaterials.com

website: www.oneontablock.com www.pickettbuildingmaterials.com

**Store Hours** 

Monday - Friday 7 am - 6 pm, Saturday 8 am - 4 pm Sunday Closed

Pickett Building Materials



Don't forget to check

out our website and

"Like" us on Facebook!







Sale Starts 5/20/18

**Sale Ends 6/3/18**